





Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and Irmãos Tavares 2 makes no other warranty, express or implied. Products and services listed may be trademarks, service marks or trade-names of Irmãos Tavares 2 and/or its subsidiaries in Portugal and other countries and all rights are r


LOAD DIAGRAM

			m	16	22	28	34	40	46	52	58	64	70	72
6 t	30,26 m	t	6,00	6,00	6,00	5,20	4,24	3,53	2,99	2,56	2,22	1,93	1,85	
6 t	29,66 m	t	6,00	6,00	6,00	5,05	4,09	3,38	2,84	2,41	2,07	1,78	1,70	
12 t	16,68 m	t	12,00	8,64	6,44	5,05	4,09	3,38	2,84	2,41	2,07	1,78	1,70	
6 t	30,42 m	t	6,00	6,00	6,00	5,23	4,26	3,55	3,01	2,58	2,24	1,95		
6 t	29,81 m	t	6,00	6,00	6,00	5,08	4,11	3,40	2,86	2,43	2,09	1,80		
12 t	16,76 m	t	12,00	8,69	6,48	5,08	4,11	3,40	2,86	2,43	2,09	1,80		
6 t	31,43 m	t	6,00	6,00	6,00	5,45	4,45	3,71	3,15	2,71	2,35			
6 t	30,80 m	t	6,00	6,00	6,00	5,30	4,30	3,56	3,00	2,56	2,20			
12 t	17,30 m	t	12,00	9,03	6,75	5,30	4,30	3,56	3,00	2,56	2,20			
6 t	32,58 m	t	6,00	6,00	6,00	5,70	4,66	3,89	3,31	2,85				
6 t	31,92 m	t	6,00	6,00	6,00	5,55	4,51	3,74	3,16	2,70				
12 t	17,91 m	t	12,00	9,42	7,05	5,55	4,51	3,74	3,16	2,70				
6 t	35,76 m	t	6,00	6,00	6,00	6,00	5,23	4,39	3,75					
6 t	35,03 m	t	6,00	6,00	6,00	6,00	5,08	4,24	3,60					
12 t	19,61 m	t	12,00	10,49	7,88	6,23	5,08	4,24	3,60					
6 t	38,68 m	t	6,00	6,00	6,00	6,00	5,76	4,85						
6 t	37,89 m	t	6,00	6,00	6,00	6,00	5,61	4,70						
12 t	21,17 m	t	12,00	11,48	8,65	6,85	5,61	4,70						
6 t	39,17 m	t	6,00	6,00	6,00	6,00	5,85							
6 t	38,38 m	t	6,00	6,00	6,00	6,00	5,70							
12 t	21,43 m	t	12,00	11,64	8,78	6,96	5,70							
6 t	34,00 m	t	6,00	6,00	6,00	6,00								
6 t	34,00 m	t	6,00	6,00	6,00	6,00								
12 t	21,54 m	t	12,00	11,71	8,83	7,00								

OTHER CONFIGURATIONS




i Bottom climbing crane





i Crane tied to the structure

i Consult us

TOWER



MECHANISMS

		kW		hp	
			7f	37	50
			8f	45	61
			9f	55	75
			10f	75	102
			11f	90	122
					
	m/min.		0 - 67	7,5	10
	rpm		0 - 0,76	3 x 5	3 x 6,5
	m/min.		0 - 22	4 x 5	4 x 6,5
					
					
400 Vac (+6% -10%) 7f - 75kVA 8f - 85kVA 9f - 97kVA 10f - 122kVA 11f - 141kVA				2000 / 14 / CE	

						
Hoisting	Trolleying	Slewing	Travelling	Travelling	Power requirements	Directive on noise level